

Certificate of Analysis
Compliance Test

Client Information:

HARBOR CITY HEMP, LLC
186 Specialty Pt
Sanford, FL 32901Batch # D9-DF-0225
Batch Date: 2025-02-12
Extracted From: Hemp

Test Reg State: Florida

Production Facility: Harbor City Hemp
Production Date: 2025-02-12Order # HAR250212-020001
Order Date: 2025-02-12
Sample # AAGJ843Sampling Date: 2025-02-13
Lab Batch Date: 2025-02-13
Completion Date: 2025-02-19Initial Gross Weight: 47.568 g
Net Weight: 42.668 gNumber of Units: 1
Net Weight per Unit: 14222.667 mg

Product Image

Potency
Tested

Potency 10

Specimen Weight: 1536.000 mg

Tested

SOP13.001 (LCUV)



Potency Summary

Total Active THC	0.107%	15.218 mg	Total Active CBD	0.101%	14.365 mg
Total CBG	-	None Detected	Total CBN	-	None Detected
Total Cannabinoids	0.208%	29.583 mg			

Pieces For Panel: 3

Analyte	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
Delta-9 THC	1.30E-5	0.015	1.070	0.107
CBD	5.40E-5	0.015	1.010	0.101
CBC	1.80E-5	0.015	<LOQ	<LOQ
CBDA	1.00E-5	0.015	<LOQ	<LOQ
CBDV	6.50E-5	0.015	<LOQ	<LOQ
CBG	2.48E-4	0.015	<LOQ	<LOQ
CBGA	8.00E-5	0.015	<LOQ	<LOQ
CBN	1.40E-5	0.015	<LOQ	<LOQ
THCA-A	3.20E-5	0.015	<LOQ	<LOQ
THCV	7.00E-6	0.015	<LOQ	<LOQ
Total Active CBD			1.010	0.101
Total Active THC			1.070	0.107

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.