



Certificate of Analysis

Compliance Test

Client Information:
HARBOR CITY
HEMP, LLC
186 Specialty Pt
Sanford, FL 32901

Manufacturing Facility:
HARBOR CITY HEMP, LLC
186 Specialty Pt
Sanford, FL 32901
Production Date: 2026-08-24

Batch Data:
Batch # GFT-0926
Batch Date: 2026-08-24
Extracted From: Hemp

Order Details:
Test Reg State: Florida
COA Expiration Date: 2027-08-24

Food Permits:
State: FL - #406670

Order #
HAR260824-020001
Order Date: 2026-08-24
Sample # AAHY564

Receipt Date: 2026-08-25
Lab Batch Date: 2026-08-25
Completion Date: 2026-08-27

Initial Gross Weight: 80.990 g
Density: 1.000 g/ml
Volume: 30 ml

Servings Per Package:
30



Product Image



Potency Summary

Total Active THC	0.0350%	Total Active CBD	0.0320%
per Serving	0.350 mg	per Serving	0.320 mg
per Package	10.5 mg	per Package	9.60 mg
Total CBG	4.20%	Total CBN	<LOQ
per Serving	42.0 mg	per Serving	0.00 mg
per Package	1260 mg	per Package	0.00 mg
Total Cannabinoids	4.62%		
per Serving	46.2 mg		
per Package	1390 mg		


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per regulatory state rule FL. Failed - Analyte/microbe is at the level that equal or above the action limit per state rule. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.



Certificate of Analysis

Compliance Test

Client Information:
HARBOR CITY
HEMP, LLC
186 Specialty Pt
Sanford, FL 32901

Manufacturing Facility:
HARBOR CITY HEMP, LLC
186 Specialty Pt
Sanford, FL 32901
Production Date: 2026-08-24

Batch Data:
Batch # GFT-0926
Batch Date: 2026-08-24
Extracted From: Hemp

Order Details:
Test Reg State: Florida
COA Expiration Date: 2027-08-24

Food Permits:
State: FL - #406670

Order #
HAR260824-020001
Order Date: 2026-08-24
Sample # AAHY564

Receipt Date: 2026-08-25
Lab Batch Date: 2026-08-25
Completion Date: 2026-08-27

Initial Gross Weight: 80.990 g
Density: 1.000 g/ml
Volume: 30 ml

Servings Per Package:
30



Potency 25 (LCUV)
Sample Weight: 100.990 mg

Tested

SOP13.001 (LCUV)

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/ml)	(%)		Per Serving (mg)	Per Package (mg)
CBG	10.000	2.480000E-4	0.0015	42.0	4.20		42.0	1260
CBC	10.000	1.800000E-5	0.0015	2.78	0.278		2.78	83.4
CBT	10.000	2.000000E-4	0.0015	0.630	0.0630		0.630	18.9
Delta-9 THC	10.000	1.300000E-5	0.0015	0.350	0.0350		0.350	10.5
CBD	10.000	5.400000E-5	0.0015	0.320	0.0320		0.320	9.60
CBL	10.000	3.500000E-5	0.0015	0.150	0.0150		0.150	4.50
CBCA	10.000	1.070000E-4	0.0015	<LOQ	<LOQ		0.00	0.00
CBDA	10.000	1.000000E-5	0.0015	<LOQ	<LOQ		0.00	0.00
CBDV	10.000	6.500000E-5	0.0015	<LOQ	<LOQ		0.00	0.00
CBDVA	10.000	1.400000E-5	0.0015	<LOQ	<LOQ		0.00	0.00
CBGA	10.000	8.000000E-5	0.0015	<LOQ	<LOQ		0.00	0.00
CBN	10.000	1.400000E-5	0.0015	<LOQ	<LOQ		0.00	0.00
CBNA	10.000	9.500000E-5	0.0015	<LOQ	<LOQ		0.00	0.00
Delta-8 THC	10.000	2.600000E-5	0.0015	<LOQ	<LOQ		0.00	0.00
Delta-8 THC-O Acetate	10.000	2.700000E-5	0.003	<LOQ	<LOQ		0.00	0.00
Delta-8 THCV	10.000	4.000000E-5	0.0015	<LOQ	<LOQ		0.00	0.00
Delta-9 THC-O Acetate	10.000	7.700000E-5	0.003	<LOQ	<LOQ		0.00	0.00
Delta8-THCP	10.000	3.750000E-4	0.0015	<LOQ	<LOQ		0.00	0.00
Delta9-THCP	10.000	1.170000E-5	0.0012	<LOQ	<LOQ		0.00	0.00
Exo-THC	10.000	2.300000E-4	0.0015	<LOQ	<LOQ		0.00	0.00
THCA-A	10.000	3.200000E-5	0.0015	<LOQ	<LOQ		0.00	0.00
THCB	10.000	1.800000E-4	0.00195	<LOQ	<LOQ		0.00	0.00
THCH	10.000	3.500000E-4	0.00195	<LOQ	<LOQ		0.00	0.00
THCV	10.000	7.000000E-6	0.0015	<LOQ	<LOQ		0.00	0.00
THCVA	10.000	4.700000E-5	0.0015	<LOQ	<LOQ		0.00	0.00
Total Active THC	10.000			0.350	0.0350		0.350	10.5
Total Active CBD	10.000			0.320	0.0320		0.320	9.60

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product as received and analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The scope of this analysis is limited to the parameters listed in this COA. Testing for food additives (e.g., preservatives, colorant, flavor enhancers) was not conducted. Therefore, no conclusions should be drawn regarding the presence or absence of such additives. The current and valid permit number for the facility issued by a human health or food safety regulatory entity with authority over the facility is stated above, and that the facility meets the human health or food safety sanitization requirements of the regulatory entity as documented by the regulatory entity and evidenced by the valid permit number.